







Overview

A4K is a new-generation cloud networking player, which supports 4K VP9 and 4K 10bits H.265/H.264 video decoding, maximum support 4K@60Hz output. Based on the powerful ColorlightCloud platform, functions such as player monitoring, program creating, program scheduling, program centralized publishing, and multi-level management are supported.

The A4K player supports various networking methods such as WiFi, wired and 4G networking, and can be deployed quickly to achieve intelligent cloud management, including multi-screen, multi-business and cross-regional unified management. It can be configured as WiFi hotspot, and supports managing programs and setting parameters via smartphone, tablet and PC.

With the use of PlayerMaster, you can edit and publish programs to A4K. Arbitrary multi-window layout and playback of various program materials such as videos, pictures, texts, tables, weather and clock are also supported. Program update and management can be achieved via plug and play USB flash drive and wired network. A4K can widely apply to commercial 4K LCD display, such as the screen of chain stores, retail stores and advertisement players.

Features

Brand-new breakthroughs

- Professional BS architecture, supporting accessing network via WiFi, LAN or 4G for cloud centralized management
- Multi-level management of cloud server and role-based program publishing
- Strong processing performance, supporting H265/H264 4K high-definition video hardware decoding and playback as well as 10bit video decoding and playback
- Support up to 3840×2160@60Hz output resolution, maximum width: 4096, maximum height: 4096
- 8G storage (4G available), support playback via USB flash drive
- Support stereo audio output

Safe and reliable

- All professional-grade components are used, and the products are stable and reliable
- System authorization and data encryption
- Multi-level permission management, with rigorous audit mechanism for program publishing
- Real-time monitoring of playback content and timely feedback on operating



status

Intelligent control, convenient management

- Plug and play content from USB flash drive
- Synchronized playback of multiple screens (NTP synchronization)
- Support scheduled commands, LAN-based scheduling and Internet-based scheduling
- Support being configured as WiFi hotspot and being managed via smartphone, Pad and PC

Convenient program management

- Use PlayerMaster with comprehensive functions for editing programs, flexible and convenient
- Support overlaying of multiple windows, whose size and location can be freely adjusted
- Rich media materials, such as pictures, videos, texts, clocks, stream media, webpages and weather
- Support playing multiple program pages

Specification

Chip groupHexa-core processor/ Quad-core GPU/ 2G DDR4 high-speed memory (Dual-core Cortex-A72 + Quad-core Cortex-A53, Up to 1.8GHz) Support 4K 10bits H.265/H.264 video decoding, 1080P video decoding and playbackMain external portsZxUSB2.0, 1×USB3.0, connect to the USB flash drive or communication equipmentAUDIO portAudio output Support 1/8* (3.5mm) TRS plug outputType-C portSet display parameters and transmit programsHDMI portHDMI2.0 output interface, support HDCP 1.4/2.2SIM card slotInsert a SIM cardLAN portGigabit Ethernet portWiFi2.4G/5G dual band WiFi, support connecting to wireless network or providing WiFi hotspotPhysical parametersDimensions215×94×32 mmOperating voltageDC 12V/2ARated power consumption0.57kg (20.11oz)Storage temperature-40°C ~ 95°COperating video format0.95%, non-condensingFile formatSupport arbitrary splitting and overlapping of windows, and multi-page playbackVideo formatMeEG-1 Layer III, AAC, etc.Nudio formatMPEG-1 Layer III, AAC, etc.Support simultaneous decoding and playback of up to 2 HD videosAudio formatMPEG-1 Layer III, AAC, etc.Multi-windowSingle-line text, static text, multi-line text, etc.4 video windows, multiple images/texts, scrolling subtitles, LOGO, dat/time/week Freely split screens, with different areas displaying different contents	Basic parameters				
USB port2×USB2.0, 1×USB3.0, connect to the USB flash drive or communication equipmentAUDIO portAudio output Support 1/8" (3.5mm) TRS plug outputType-C portSet display parameters and transmit programsHDMI portHDMI2.0 output interface, support HDCP 1.4/2.2SIM card slotInsert a SIM cardLAN portGigabit Ethernet portWiFi2.4G/5G dual band WiFi, support connecting to wireless network or providing WiFi hotspotPhysical parametersDimensions215×94×32 mmOperating voltageDC 12V/2ARated power consumption0.57kg (20.11o2)Storage temperature-40°C ~ 95°CAmbient humidity0.~95%, non-condensingFile formatSupport arbitrary splitting and overlapping of windows, and multi-page playbackVideo formatMPEG-1 Layer III, AAC, etc.Image formatbmp, jpg, ng, webp, etc.Video formatMPEG-1 Layer III, AAC, etc.Image formatbmp, jpg, ng, webp, etc.Text formattxt, rft, word, ppt, excel, etc. (Used in conjunction with PlayerMaster)Text displaySingle-line text, static text, multi-line text, etc.Multi-windowdia/etime/week Freely split screens, with different areas displaying different contents	Chip group	(Dual-core Cortex-A72 + Quad-core Cortex-A53, Up to 1.8GHz) Support 4K 10bits H.265/H.264 video decoding, 1080P video decoding			
USB portequipmentAUDIO portAudio output Support 1/8* (3.5mm) TRS plug outputType-C portSet display parameters and transmit programsHDMI portHDMI2.0 output interface, support HDCP 1.4/2.2SIM card slotInsert a SIM cardLAN portGigabit Ethernet portWiFi2.4G/5G dual band WiFi, support connecting to wireless network or providing WiFi hotspotPhysical parametersDimensions215×94×32 mmOperating voltageDC 12V/2ARated power consumption0.57kg (20.11o2)Storage 	Main external	ports			
Type-C portSet display parameters and transmit programsHDMI portHDMI2.0 output interface, support HDCP 1.4/2.2SIM card slotInsert a SIM cardLAN portGigabit Ethernet portWiFi2.4G/5G dual band WiFi, support connecting to wireless network or providing WiFi hotspotPhysical parametersDimensions215×94×32 mmOperating voltageDC 12V/2ARated power consumption15WWeight0.57kg (20.11oz)Storage temperature-40°C ~ 95°COperating temperature-30°C ~ 65°CAmbient humidity0 ~ 95%, non-condensingFile formatSupport arbitrary splitting and overlapping of windows, and multi-page playbackVideo formatMUE-onding: H264, H265, VP9, etc.Video formatMEG-1 Layer III, AAC, etc.Image formatbmp, jpg, png, webp, etc.Text displaySingle-line text, static text, multi-line text, etc.Multi-windowdisplayGisplaySingle-line text, static text, multi-line text, etc.	USB port				
HDMI portHDMI2.0 output interface, support HDCP 1.4/2.2SIM card slotInsert a SIM cardLAN portGigabit Ethernet portWiFi2.4G/5G dual band WiFi, support connecting to wireless network or providing WiFi hotspotPhysical parametersDimensions215×94×32 mmOperating voltageDC 12V/2ARated consumption0.57kg (20.11oz)Storage temperature-40°C ~95°COperating temperature-30°C ~65°CAmbient humidity0 ~ 95%, non-condensingFile for mat windowSupport arbitrary splitting and overlapping of windows, and multi-page playbackVideo formatSupport arbitrary splitting and overlapping of windows, and multi-page playback of one 4K video Support simultaneous decoding and playback of up to 2 HD videosAudio formatMPEG-1 Layer III, AAC, etc.Image formatbmp, jpg, mg, webp, etc.Text displaySingle-line text, static text, multi-line text, etc.Multi-window4 video windows, multiple images/texts, scrolling subtitles, LOGO, date/time/week Freely split screens, with different areas displaying different contents	AUDIO port	Audio output Support 1/8" (3.5mm) TRS plug output			
SIM card slot Insert a SIM card LAN port Gigabit Ethernet port LAN port Gigabit Ethernet port WiFi 2.4G/5G dual band WiFi, support connecting to wireless network or providing WiFi hotspot Physical parameters Dimensions Dimensions 215×94×32 mm Operating voltage DC 12V/2A Rated power consumption 15W Weight 0.57kg (20.11oz) Storage temperature -40°C ~ 95°C Operating temperature -30°C ~ 65°C Ambient humidity 0~ 95%, non-condensing File format Support arbitrary splitting and overlapping of windows, and multi-page playback Video format Support arbitrary splitting and overlapping of windows, and multi-page playback Video format Support arbitrary splitting and playback of one 4K video Support decoding and playback of one 4K video Support simultaneous decoding and playback of up to 2 HD videos Audio format MPEG-1 Layer III, AAC, etc. Image format Image format bmp, jpg, npg, webp, etc. txt, rtf, word, ppt, excel, etc. (Used in conjunction with PlayerMaster) Text display Single-line text, static text, multi-line text, etc. 4 video windows, multiple images/texts, scrol	Type-C port	Set display parameters and transmit programs			
LAN portGigabit Ethernet portWiFi2.4G/5G dual band WiFi, support connecting to wireless network or providing WiFi hotspotPhysical parametersDimensions215×94×32 mmOperating voltageDC 12V/2ARated power consumption15WWeight0.57kg (20.11oz)Storage temperature-40°C ~ 95°COperating temperature-30°C ~ 65°CAmbient humidity0 ~ 95%, non-condensingFile formatSupport arbitrary splitting and overlapping of windows, and multi-page playbackVideo formatVideo encoding: H264, H265, VP9, etc.Video formatWEG-1 Layer III, AAC, etc.Image formatbmp. jpg, png, webp, etc.Audio formatMPE-1 Layer III, AAC, etc.Image formattx, rtf, word, ppt, excel, etc. (Used in conjunction with PlayerMaster)Text displaySingle-line text, static text, multi-line text, etc.Multi-window display4 video windows, multiple images/texts, scrolling subtitles, LOGO, date/time/week Freely split screens, with different areas displaying different contents	HDMI port	HDMI2.0 output interface, support HDCP 1.4/2.2			
WiFi2.4G/5G dual band WiFi, support connecting to wireless network or providing WiFi hotspotPhysical parametersDimensions215×94×32 mmOperating voltageDC 12V/2ARated consumption15WWeight0.57kg (20.11oz)Storage temperature-40°C ~ 95°COperating temperature-30°C ~ 65°CAmbient humidity0 ~ 95%, non-condensingFile formatSupport arbitrary splitting and overlapping of windows, and multi-page playbackVideo formatVideo encoding: H264, H265, VP9, etc.Video formatVideo colding and playback of one 4K video Support simultaneous decoding and playback of up to 2 HD videosAudio formatMPEG-1 Layer III, AAC, etc.Image formatbmp, jpg, png, webp, etc.Text formattxt, rtf, word, ppt, excel, etc. (Used in conjunction with PlayerMaster)Text displaySingle-line text, static text, multi-line text, etc.Multi-window display4 video windows, multiple images/texts, scrolling subtitles, LOGO, date/time/week Freely split screens, with different areas displaying different contents	SIM card slot				
WiFiproviding WiFi hotspotPhysical parametersDimensions215×94×32 mmOperating voltageDC 12V/2ARated power consumption15WWeight0.57kg (20.11oz)Storage temperature-40°C ~ 95°COperating temperature-30°C ~ 65°CAmbient humidity0 ~ 95%, non-condensingFile formatSplit video formatSupport arbitrary splitting and overlapping of windows, and multi-page playbackVideo formatVideo encoding: H264, H265, VP9, etc. Video file: mp4, mov, ts, etc. Support decoding and playback of one 4K video Support simultaneous decoding and playback of up to 2 HD videosAudio formatMPEG-1 Layer III, AAC, etc.Image formatbmp, jpg, png, webp, etc.Text formattxt, rtf, word, ppt, excel, etc. (Used in conjunction with PlayerMaster)Text displaySingle-line text, static text, multi-line text, etc.Multi-window display4 video windows, multiple images/texts, scrolling subtitles, LOGO, date/time/week Freely split screens, with different areas displaying different contents	LAN port	ort Gigabit Ethernet port			
Dimensions215×94×32 mmOperating voltageDC 12V/2ARated power consumption15WWeight0.57kg (20.11oz)Storage temperature-40°C ~ 95°COperating temperature-30°C ~ 65°CAmbient humidity0 ~ 95%, non-condensingFile formatSplit windowSupport arbitrary splitting and overlapping of windows, and multi-page playbackVideo formatVideo encoding: H264, H265, VP9, etc. Video file: mp4, mov, ts, etc. Support decoding and playback of one 4K video Support simultaneous decoding and playback of up to 2 HD videosAudio formatMPEG-1 Layer III, AAC, etc.Image formatSingle-line text, static text, multi-line text, etc.Multi-window display4 video windows, multiple images/texts, scrolling subtitles, LOGO, date/time/week Freely split screens, with different areas displaying different contents	WiFi				
Operating voltage Rated power consumptionDC 12V/2ARated power consumption15WWeight0.57kg (20.11oz)Storage temperature-40°C ~ 95°COperating temperature-30°C ~ 65°CAmbient humidity0 ~ 95%, non-condensingFile formatSplit vindowprogram playbackVideo formatSupport arbitrary splitting and overlapping of windows, and multi-page playbackVideo formatVideo encoding: H264, H265, VP9, etc. Video file: mp4, mov, ts, etc. Support decoding and playback of one 4K video Support simultaneous decoding and playback of up to 2 HD videosAudio formatMPEG-1 Layer III, AAC, etc.Image formatbmp, jpg, png, webp, etc.Text formatXigle-line text, static text, multi-line text, etc.Multi-window display4 video windows, multiple images/texts, scrolling subtitles, LOGO, date/time/week Freely split screens, with different areas displaying different contents	Physical parameters				
Rated consumptionpower 15WWeight0.57kg (20.11oz)Storage temperature-40°C ~ 95°COperating temperature-30°C ~ 65°CAmbient humidity0 ~ 95%, non-condensingFile formatSplit windowprogram playbackVideo formatSupport arbitrary splitting and overlapping of windows, and multi-page playbackVideo formatVideo encoding: H264, H265, VP9, etc. Video file: mp4, mov, ts, etc. Support decoding and playback of one 4K video Support simultaneous decoding and playback of up to 2 HD videosAudio formatMPEG-1 Layer III, AAC, etc.Image formatbmp, jpg, png, webp, etc.Text formattxt, rtf, word, ppt, excel, etc. (Used in conjunction with PlayerMaster)Text displaySingle-line text, static text, multi-line text, etc.Multi-window display4 video windows, multiple images/texts, scrolling subtitles, LOGO, date/time/week Freely split screens, with different areas displaying different contents	Dimensions	215×94×32 mm			
consumption15WWeight0.57kg (20.11oz)Storage temperature-40°C ~ 95°COperating temperature-30°C ~ 65°CAmbient humidity0 ~ 95%, non-condensingFile formatSplit windowprogram playbackVideo formatSupport arbitrary splitting and overlapping of windows, and multi-page playbackVideo formatVideo encoding: H264, H265, VP9, etc.Video formatVideo encoding: H264, H265, VP9, etc.Video formatMPEG-1 Layer III, AAC, etc.Image formatbmp, jpg, png, webp, etc.Text formattxt, rtf, word, ppt, excel, etc. (Used in conjunction with PlayerMaster)Text displaySingle-line text, static text, multi-line text, etc.Multi-window display4 video windows, multiple images/texts, scrolling subtitles, LOGO, date/time/week Freely split screens, with different areas displaying different contents	Operating voltage	DC 12V/2A			
Storage temperature-40°C ~ 95°COperating temperature-30°C ~ 65°CAmbient humidity0 ~ 95%, non-condensingFile formatSupport arbitrary splitting and overlapping of windows, and multi-page playbackVideo formatSupport arbitrary splitting and overlapping of windows, and multi-page playbackVideo formatVideo encoding: H264, H265, VP9, etc. Video file: mp4, mov, ts, etc. Support decoding and playback of one 4K video Support simultaneous decoding and playback of up to 2 HD videosAudio formatMPEG-1 Layer III, AAC, etc.Image formatbmp, jpg, png, webp, etc.Text formattxt, rtf, word, ppt, excel, etc. (Used in conjunction with PlayerMaster)Text displaySingle-line text, static text, multi-line text, etc.Multi-window display4 video windows, multiple images/texts, scrolling subtitles, LOGO, date/time/week Freely split screens, with different areas displaying different contents		15W			
temperature-40°C ~ 95°COperating temperature-30°C ~ 65°CAmbient humidity0 ~ 95%, non-condensingFile formatSplitprogram playbackVideo formatSupport arbitrary splitting and overlapping of windows, and multi-page playbackVideo formatVideo encoding: H264, H265, VP9, etc. Video file: mp4, mov, ts, etc. Support decoding and playback of one 4K video Support simultaneous decoding and playback of up to 2 HD videosAudio formatMPEG-1 Layer III, AAC, etc.Image formatbmp, jpg, png, webp, etc.Text formattxt, rtf, word, ppt, excel, etc. (Used in conjunction with PlayerMaster)Text displaySingle-line text, static text, multi-line text, etc.Multi-window display4 video windows, multiple images/texts, scrolling subtitles, LOGO, date/time/week Freely split screens, with different areas displaying different contents	Weight	0.57kg (20.11oz)			
temperature-30°C ~ 65°COperating temperature-30°C ~ 65°CAmbient humidity0 ~ 95%, non-condensingFile formatSplitprogram playbackVideo formatSupport arbitrary splitting and overlapping of windows, and multi-page playbackVideo formatVideo encoding: H264, H265, VP9, etc.Video file: mp4, mov, ts, etc. Support decoding and playback of one 4K video Support simultaneous decoding and playback of up to 2 HD videosAudio formatMPEG-1 Layer III, AAC, etc.Image formatbmp, jpg, png, webp, etc.Text formattxt, rtf, word, ppt, excel, etc. (Used in conjunction with PlayerMaster)Text displaySingle-line text, static text, multi-line text, etc.Multi-window display4 video windows, multiple images/texts, scrolling subtitles, LOGO, date/time/week Freely split screens, with different areas displaying different contents	Storage				
temperature-30°C ~ 65°CAmbient humidity0 ~ 95%, non-condensingFile formatSplitprogramSupport arbitrary splitting and overlapping of windows, and multi-page playbackVideo formatVideo encoding: H264, H265, VP9, etc.Video formatVideo file: mp4, mov, ts, etc.Support decoding and playback of one 4K video Support simultaneous decoding and playback of up to 2 HD videosAudio formatMPEG-1 Layer III, AAC, etc.Image formatbmp, jpg, png, webp, etc.Text formattxt, rtf, word, ppt, excel, etc. (Used in conjunction with PlayerMaster)Text displaySingle-line text, static text, multi-line text, etc.Multi-window display4 video windows, multiple images/texts, scrolling subtitles, LOGO, date/time/week Freely split screens, with different areas displaying different contents	temperature	-40 C ~ 93 C			
File formatSplitprogramSupport arbitrary splitting and overlapping of windows, and multi-page playbackVideoplaybackVideo encoding: H264, H265, VP9, etc.Video formatVideo file: mp4, mov, ts, etc.Support decoding and playback of one 4K video Support simultaneous decoding and playback of up to 2 HD videosAudio formatMPEG-1 Layer III, AAC, etc.Image formatbmp, jpg, png, webp, etc.Text formattxt, rtf, word, ppt, excel, etc. (Used in conjunction with PlayerMaster)Text displaySingle-line text, static text, multi-line text, etc.Multi-window display4 video windows, multiple images/texts, scrolling subtitles, LOGO, date/time/week Freely split screens, with different areas displaying different contents		-30°C ~ 65°C			
Splitprogram playbackSupport arbitrary splitting and overlapping of windows, and multi-page playbackVideoplaybackVideo encoding: H264, H265, VP9, etc.Video formatVideo file: mp4, mov, ts, etc.Support decoding and playback of one 4K video Support simultaneous decoding and playback of up to 2 HD videosAudio formatMPEG-1 Layer III, AAC, etc.Image formatbmp, jpg, png, webp, etc.Text formattxt, rtf, word, ppt, excel, etc. (Used in conjunction with PlayerMaster)Text displaySingle-line text, static text, multi-line text, etc.Multi-window display4 video windows, multiple images/texts, scrolling subtitles, LOGO, date/time/week Freely split screens, with different areas displaying different contents	Ambient humidity	0 ~ 95%, non-condensing			
windowplaybackVideo encoding: H264, H265, VP9, etc.Video formatVideo file: mp4, mov, ts, etc.Support decoding and playback of one 4K videoSupport simultaneous decoding and playback of up to 2 HD videosAudio formatMPEG-1 Layer III, AAC, etc.Image formatbmp, jpg, png, webp, etc.Text formattxt, rtf, word, ppt, excel, etc. (Used in conjunction with PlayerMaster)Text displaySingle-line text, static text, multi-line text, etc.Multi-windowdisplayFreely split screens, with different areas displaying different contents	File format				
Video formatVideo file: mp4, mov, ts, etc. Support decoding and playback of one 4K video Support simultaneous decoding and playback of up to 2 HD videosAudio formatMPEG-1 Layer III, AAC, etc.Image formatbmp, jpg, png, webp, etc.Text formattxt, rtf, word, ppt, excel, etc. (Used in conjunction with PlayerMaster)Text displaySingle-line text, static text, multi-line text, etc.Multi-window display4 video windows, multiple images/texts, scrolling subtitles, LOGO, date/time/week Freely split screens, with different areas displaying different contents		playback			
Video formatSupport decoding and playback of one 4K video Support simultaneous decoding and playback of up to 2 HD videosAudio formatMPEG-1 Layer III, AAC, etc.Image formatbmp, jpg, png, webp, etc.Text formattxt, rtf, word, ppt, excel, etc. (Used in conjunction with PlayerMaster)Text displaySingle-line text, static text, multi-line text, etc.Multi-window display4 video windows, multiple images/texts, scrolling subtitles, LOGO, date/time/week Freely split screens, with different areas displaying different contents		5			
Support simultaneous decoding and playback of up to 2 HD videosAudio formatMPEG-1 Layer III, AAC, etc.Image formatbmp, jpg, png, webp, etc.Text formattxt, rtf, word, ppt, excel, etc. (Used in conjunction with PlayerMaster)Text displaySingle-line text, static text, multi-line text, etc.Multi-window display4 video windows, multiple images/texts, scrolling subtitles, LOGO, date/time/week Freely split screens, with different areas displaying different contents	Video format				
Audio formatMPEG-1 Layer III, AAC, etc.Image formatbmp, jpg, png, webp, etc.Text formattxt, rtf, word, ppt, excel, etc. (Used in conjunction with PlayerMaster)Text displaySingle-line text, static text, multi-line text, etc.Multi-window display4 video windows, multiple images/texts, scrolling subtitles, LOGO, date/time/week Freely split screens, with different areas displaying different contents					
Image formatbmp, jpg, png, webp, etc.Text formattxt, rtf, word, ppt, excel, etc. (Used in conjunction with PlayerMaster)Text displaySingle-line text, static text, multi-line text, etc.Multi-window display4 video windows, multiple images/texts, scrolling subtitles, LOGO, date/time/week Freely split screens, with different areas displaying different contents					
Text formattxt, rtf, word, ppt, excel, etc. (Used in conjunction with PlayerMaster)Text displaySingle-line text, static text, multi-line text, etc.Multi-window display4 video windows, multiple images/texts, scrolling subtitles, LOGO, date/time/week Freely split screens, with different areas displaying different contents					
Text displaySingle-line text, static text, multi-line text, etc.Multi-window display4 video windows, multiple images/texts, scrolling subtitles, LOGO, date/time/week Freely split screens, with different areas displaying different contents	-				
Multi-window display4 video windows, multiple images/texts, scrolling subtitles, LOGO, date/time/week Freely split screens, with different areas displaying different contents					
Multi-window display Freely split screens, with different areas displaying different contents	Text display				
display Freely split screens, with different areas displaying different contents	Multi-window				
	display				
	Window overlay				



RTC Real-time clock display and management
--

doning could be the



Hardware





Port description

No.	Name	Function
1	SIM	Micro-SIM card slot
2	4G MAIN ANT	Connect to 4G antenna (optional)
3	4G DIV ANT	Connect to 4G antenna (optional)
4	WiFi STATION ANT	External WIFI antenna (standard), support 2.4G/5G dual-band Support WiFi hotspot mode
5	WiFi AP ANT	The same as WiFi STATION ANT
6	DC 12V	12V power input
7	RS232	UART port, communicate with external devices
8	AUDIO OUT	3.5mm audio interface, support stereo
9	HDMI	HDMI2.0, output the HDMI signal
10	TYPE-C	Set display parameters and publish programs
11	USB	USB3.0 port, connect to USB camera, USB flash drive
12	USB	USB2.0 port, connect to USB camera, USB flash drive
13	USB	USB2.0 port, connect to USB camera, USB flash drive
14	LAN	Gigabit Ethernet interface, access to wired network



Dimensions

nit: mm





U



Configuration and Management Software

Name	Туре	Description
PlayerMaster	PC Client	Used for local or cloud screen management, as well as program editing and publishing
ColorlightCloud	Web	A web-based management system for content publishing, centralized management and screen monitoring
LED Assistant	Mobile Client	Support Android and iOS, enabling wireless control of players

Statement

Thank you for purchasing the product of Colorlight Cloud Tech Ltd. If you encounter any problems during use or have any suggestions, please contact us through official channels. We will do our best to provide support and listen to your valuable suggestions. We will constantly make improvements on technical specifications but without notice. You can visit www.colorlightinside.com to get more updated information.

www.colorlightinside.com