

Specification

Player

L6

V1.3 2018 Jul

Summary:

L6 is a sync/async player released by Linsn. It supports up to 2.6 million pixels.


Official website: www.linsn.com
Add: Floor 15&16, Jiajiahao Business Building, No. 10168, Shennan Blvd,
Nanshan District, Shenzhen
Tel: +86-0755-86183590/ 4008836968



Features:

- 1. Supports up to 2.6 million pixels;
- 2. Supports HDMI input and output;
- 3. Supports asynchronous and synchronous display mode;
- Supports USB flash drive and LAN play;
- 5. Supports importing program via USB flash drive;
- 6. Supports multiple media formats, like videos, pictures and animations;
- 7. Supports multiple content formats, like video/image files, word, and database;
- 8. Supports most of driver ICs;
- 9. Supports scan mode ranges from static to 32 scan mode (both real and virtual pixel type);
- 10. Supports customize gray scale, up to 16bit ,65536 levels;
- 11. Refresh rate: up to 3840Hz for scanning display, up to 6000Hz for static display;
- 12. Supports brightness and color calibration;
- 13. Supports WIFI, 4G, GPS and Ethernet transfer.

Interface:



Official website: www.linsn.com

Add: Floor 15&16, Jiajiahao Business Building, No. 10168, Shennan Blvd, Nanshan District, Shenzhen



8	Reserved
9	Power indicator
10	Signal indicator
11)	4 network output for connecting LED screen
12	HDMI input
13	USB connector for setup
14)	Audio output
15	HDMI output
16	2 USB port for flash drive
17	WIFI antenna
18	RJ45 for connecting internet
19	Indicator for android
20	4G status indicator



Dimensions:



Working Conditions: -

Power adapter	12/2A
Consumption	20W
Working temperature (℃)	-20°C ~75°C
Working humidity (%)	0% ~ 95%
Weight (KG)	0.65

END